

DATABASE SYSTEMS

DESIGN IMPLEMENTATION AND MANAGEMENT

INTERNATIONAL EDITION



ROB • CORONEL • CROCKETT

CHAPTER 2

DATA MODELS

In this chapter, you will learn:

- Why data models are important
- About the basic data-modeling building blocks
- What business rules are and how they influence database design
- How the major data models evolved
- How data models can be classified by level of abstraction

The Importance of Data Models

- Data models
 - Relatively simple representations, usually graphical, of complex real-world data structures
 - Facilitate interaction among the designer, the applications programmer, and the end user

The Importance of Data Models (continued)

- End-users have different views and needs for data
- Data model organizes data for various users

Data Model Basic Building Blocks

- Entity - anything about which data are to be collected and stored
- Attribute - a characteristic of an entity
- Relationship - describes an association among entities
 - One-to-many (1:*) relationship
 - Many-to-many (*:*) relationship
 - One-to-one (1:1) relationship
- Constraint - a restriction placed on the data

Business Rules

- Brief, precise, and unambiguous descriptions of a policies, procedures, or principles within a specific organization
- Apply to any organization that stores and uses data to generate information
- Description of operations that help to create and enforce actions within that organization's environment

Business Rules (continued)

- Must be rendered in writing
- Must be kept up to date
- Sometimes are external to the organization
- Must be easy to understand and widely disseminated
- Describe characteristics of the data as viewed by the company

Discovering Business Rules

Sources of Business Rules:

- Company managers
- Policy makers
- Department managers
- Written documentation
 - Procedures
 - Standards
 - Operations manuals
- Direct interviews with end users

Translating Business Rules into Data Model Components

- Standardize company's view of data
- Constitute a communications tool between users and designers
- Allow designer to understand the nature, role, and scope of data
- Allow designer to understand business processes
- Allow designer to develop appropriate relationship participation rules and constraints
- Promote creation of an accurate data model

Discovering Business Rules (continued)

- Generally, nouns translate into entities
- Verbs translate into relationships among entities
- Relationships are bi-directional

The Evolution of Data Models

TABLE 2.1 Evolution of major data models

Generation	Time	Model	Examples	Comments
First	1960s–1970s	File system	VMS/VSAM	Used mainly on IBM mainframe systems Managed records, not relationships
Second	1970s	Hierarchical and network	IMS ADABAS IDS-II	Early database systems Navigational access
Third	Mid-1970s to present	Relational	DB2 Oracle MS SQL-Server	Conceptual simplicity Entity relationship (ER) modelling support for relational data modelling
Fourth	Mid-1980s to present	Object-oriented Extended Relational	Versant VFS/ FastObjects Objectivity/DB DB/2 UDB Oracle 10g	Support complex data Extended relational products support objects and data warehousing Web databases become common
Next Generation	Present to future	XML	dbXML Tamino DB2 UDB Oracle 10g MS SQL Server	Organization and management of unstructured data Relational and object models add support for XML documents

The Evolution of Data Models (continued)


- Hierarchical
- Network
- Relational
- Entity relationship
- Object oriented (OO)

The Hierarchical Model

- Developed in the 1960s to manage large amounts of data for complex manufacturing projects
- Basic logical structure is represented by an upside-down “tree”

The Hierarchical Model (continued)

FIGURE 2.1 A hierarchical structure



The Hierarchical Model (continued)

- The hierarchical structure contains levels, or segments
- Depicts a set of one-to-many (1:*) relationships between a parent and its children segments
 - Each parent can have many children
 - each child has only one parent

The Hierarchical Model (continued)

- Advantages
 - Many of the hierarchical data model's features formed the foundation for current data models
 - Its database application advantages are replicated, albeit in a different form, in current database environments
 - Generated a large installed (mainframe) base, created a pool of programmers who developed numerous tried-and-true business applications

The Hierarchical Model (continued)

- Disadvantages
 - Complex to implement
 - Difficult to manage
 - Lacks structural independence
 - Implementation limitations
 - Lack of standards

The Network Model

- Created to
 - Represent complex data relationships more effectively
 - Improve database performance
 - Impose a database standard
- Conference on Data Systems Languages (CODASYL)
- Database Task Group (DBTG)

The Network Model (continued)

- Schema
 - Conceptual organization of entire database as viewed by the database administrator
- Subschema
 - Defines database portion “seen” by the application programs that actually produce the desired information from data contained within the database
- Data Management Language (DML)
 - Defines the environment in which data can be managed


The Network Model (continued)

- Schema Data Definition Language (DDL)
 - Enables database administrator to define schema components
- Subschema DDL
 - Allows application programs to define database components that will be used
- DML
 - Works with the data in the database

The Network Model (continued)

- Resembles hierarchical model
- Collection of records in 1:* relationships
- Set
 - Relationship
 - Composed of at least two record types
 - Owner
 - Equivalent to the hierarchical model's parent
 - Member
 - Equivalent to the hierarchical model's child

The Network Model (continued)



The Network Model (continued)

- Disadvantages
 - Too cumbersome
 - The lack of ad hoc query capability put heavy pressure on programmers
 - Any structural change in the database could produce havoc in all application programs that drew data from the database
 - Many database old-timers can recall the interminable information delays

The Relational Model

- Developed by Codd (IBM) in 1970
- Considered ingenious but impractical in 1970
- Conceptually simple
- Computers lacked power to implement the relational model
- Today, microcomputers can run sophisticated relational database software

The Relational Model (continued)

- Relational Database Management System (RDBMS)
- Performs same basic functions provided by hierarchical and network DBMS systems, in addition to a host of other functions
- Most important advantage of the RDBMS is its ability to hide the complexities of the relational model from the user

The Relational Model (continued)

- Table (relations)
 - Matrix consisting of a series of row/column intersections
 - Related to each other through sharing a common entity characteristic
- Relational diagram
 - Representation of relational database's entities, attributes within those entities, and relationships between those entities

The Relational Model (continued)

- Relational Table
 - Stores a collection of related entities
 - Resembles a file
- Relational table is purely logical structure
 - How data are physically stored in the database is of no concern to the user or the designer
 - This property became the source of a real database revolution

The Relational Model (continued)

FIGURE 2.3 LINKING RELATIONAL TABLES

Database name: Ch02_InsureCo Table name: AGENT (first six attributes)

AGENT_CODE	AGENT_LNAME	AGENT_FNAME	AGENT_INITIAL	AGENT_AREACODE	AGENT_PHONE
501	Alby	Alex	B	0161	228-1249
502	Hahn	Leah	F	0181	882-1244
503	Okon	John	T	0181	123-5589


Link through AGENT_CODE

Table name: CUSTOMER

CUS_CODE	CUS_LNAME	CUS_FNAME	CUS_INITIAL	CUS_AREACODE	CUS_PHONE	CUS_RENEW_DATE	AGENT_CODE
10010	Ramas	Alfred	A	0181	844-2573	05-Apr-2007	502
10011	Dunne	Leona	K	0161	894-1238	16-Jun-2007	501
10012	Smith	Kathy	W	0181	894-2285	29-Jan-2008	502
10013	Olowski	Paul	F	0181	894-2180	14-Oct-2007	502
10014	Orlando	Myron		0181	222-1672	28-Dec-2007	501
10015	O'Brian	Amy	B	0161	442-3381	22-Sep-2007	503
10016	Brown	James	G	0181	297-1228	25-Mar-2007	502
10017	Williams	George		0181	290-2556	17-Jul-2007	503
10018	Farriss	Anne	G	0161	382-7185	03-Dec-2007	501
10019	Smith	Olette	K	0181	297-3809	14-Mar-2007	503

The Relational Model (continued)

FIGURE 2.4 Relational diagram: a relational class diagram



The Relational Model (continued)

- Rise to dominance due in part to its powerful and flexible query language
- Structured Query Language (SQL) allows the user to specify what must be done without specifying how it must be done
- SQL-based relational database application involves:
 - User interface
 - A set of tables stored in the database
 - SQL engine

The Entity Relationship Model

- Widely accepted and adapted graphical tool for data modeling
- Introduced by Chen in 1976
- Graphical representation of entities and their relationships in a database structure.
- More recently the **class diagram** component of the **Unified Modeling Language (UML)** has been used to produce entity relationship models.

The Entity Relationship Model (continued)

- Entity relationship diagram (ERD)
 - Uses graphic representations to model database components
 - Entity is mapped to a relational table
- Entity instance (or occurrence) is row in table
- Entity set is collection of like entities
- Connectivity labels types of relationships


The Entity Relationship Model (continued)

FIGURE 2.5 The basic UML ERD

A One-to-Many (1..*) Relationship: a PAINTER can paint many PAINTINGs:
each PAINTING is painted by one PAINTER.



A Many-to-Many (*..*) Relationship: an EMPLOYEE can learn many SKILLs:
each SKILL can be learned by many EMPLOYEEs.



A One-to-Many (1..1) Relationship: an EMPLOYEE manages one STORE:
each STORE is managed by one EMPLOYEE.




The Entity Relationship Model (continued)

Fig 2.6 The basic Crow's foot ERD


A One-to-Many (1:M) Relationship: a PAINTER can paint many PAINTINGs;
each PAINTING is painted by one PAINTER.



A Many-to-Many (M:N) Relationship: an EMPLOYEE can learn many SKILLs;
each SKILL can be learned by many EMPLOYEEs.



A One-to-One (1:1) Relationship: an EMPLOYEE manages one STORE;
each STORE is managed by one EMPLOYEE.



The Object Oriented Model

- Modeled both data and their relationships in a single structure known as an object
- Object-oriented data model (OODM) is the basis for the object-oriented database management system (OODBMS)
- OODM is said to be a semantic data model

The Object Oriented Model (continued)


- Object described by its factual content
 - Like relational model's entity
- Includes information about relationships between facts within object, and relationships with other objects
 - Unlike relational model's entity
- Subsequent OODM development allowed an object to also contain all operations
- Object becomes basic building block for autonomous structures

The Object Oriented Model (continued)

- Object is an abstraction of a real-world entity
- Attributes describe the properties of an object
- Objects that share similar characteristics are grouped in classes
- Classes are organized in a class hierarchy
- Inheritance is the ability of an object within the class hierarchy to inherit the attributes and methods of classes above it

The Object Oriented Model (continued)

FIGURE 2.7 A comparison of the OO model and the ER model



Other Models

- **Extended Relational Data Model (ERDM)**
 - Semantic data model developed in response to increasing complexity of applications
 - DBMS based on the ERDM often described as an object/relational database management system (O/RDBMS)
 - Primarily geared to business applications


Database Models and the Internet

- Internet drastically changed role and scope of database market
- OODM and ERDM-O/RDM have taken a backseat to development of databases that interface with Internet
- Dominance of Web has resulted in growing need to manage unstructured information

Data Models: A Summary

- Each new data model capitalized on the shortcomings of previous models
- Common characteristics:
 - Conceptual simplicity without compromising the semantic completeness of the database
 - Represent the real world as closely as possible
 - Representation of real-world transformations (behavior) must comply with consistency and integrity characteristics of any data model

Data Models: A Summary (continued)



Degrees of Data Abstraction


- Way of classifying data models
- Many processes begin at high level of abstraction and proceed to an ever-increasing level of detail
- Designing a usable database follows the same basic process

Degrees of Data Abstraction (continued)

- American National Standards Institute (ANSI)
Standards Planning and Requirements Committee
(SPARC)
 - Defined a framework for data modeling based on
degrees of data abstraction(1970s):
 - External
 - Conceptual
 - Internal

Degrees of Data Abstraction (continued)

FIGURE 2.9 Data abstraction levels



The External Model


- End users' view of the data environment
- Requires that the modeler subdivide set of requirements and constraints into functional modules that can be examined within the framework of their external models

The External Model (continued)

- Advantages:
 - Easy to identify specific data required to support each business unit's operations
 - Facilitates designer's job by providing feedback about the model's adequacy
 - Creation of external models helps to ensure security constraints in the database design
 - Simplifies application program development


The External Model (continued)

Fig 2.10 External Models for Tiny College



The External Model (continued)


Fig 2.10 External Models for Tiny College



The Conceptual Model

- Represents global view of the entire database
- Representation of data as viewed by the entire organization
- Basis for identification and high-level description of main data objects, avoiding details
- Most widely used conceptual model is the entity relationship (ER) model

The Conceptual Model (continued)



The Conceptual Model (continued)


- Provides a relatively easily understood macro level view of data environment
- Independent of both software and hardware
 - Does not depend on the DBMS software used to implement the model
 - Does not depend on the hardware used in the implementation of the model
 - Changes in either hardware or DBMS software have no effect on the database design at the conceptual level

The Internal Model

- Representation of the database as “seen” by the DBMS
- Maps the conceptual model to the DBMS
- Internal schema depicts a specific representation of an internal model

FIGURE 2.12 An internal model for Tiny University

CONCEPTUAL MODEL



INTERNAL MODEL

```
CREATE TABLE LECTURER(
LECTURER_ID NUMBER PRIMARY KEY,
LECTURER_LNAME VARCHAR2(15),
LECTURER_INITIAL CHAR(1),
LECTURER_FNAME VARCHAR2(15),
.....);
```

```
CREATE TABLE CLASS(
CLASS_ID NUMBER PRIMARY KEY,
CRS_ID VARCHAR2(8) REFERENCES COURSE,
LECTURER_ID NUMBER REFERENCES LECTURER,
ROOM_ID VARCHAR2(8) REFERENCES ROOM,
.....);
```

```
CREATE TABLE ROOM(
ROOM_ID VARCHAR2(8) PRIMARY KEY,
ROOM_TYPE VARCHAR2(3),
.....);
```


```
CREATE TABLE COURSE(
CRS_ID VARCHAR2(8) PRIMARY KEY,
CRS_NAME VARCHAR2(25),
CRS_CREDITS NUMBER,
.....);
```

The Physical Model

- Operates at lowest level of abstraction, describing the way data are saved on storage media such as disks or tapes
- Software and hardware dependent
- Requires that database designers have a detailed knowledge of the hardware and software used to implement database design

The Physical Model (continued)

TABLE 2.3 Levels of data abstraction

Model	Degree Of Abstraction	Focus	Independent Of
External	High	End-user views	Hardware and software
Conceptual		Global view of data (independent of database model)	Hardware and software
Internal		Specific database model	Hardware
Physical	Low	Storage and access methods	Neither Hardware or Software

Summary

- A data model is a (relatively) simple abstraction of a complex real-world data environment
- Basic data modeling components are:
 - Entities
 - Attributes
 - Relationships
 - Constraints

Summary (continued)

- Hierarchical model
 - Depicts a set of one-to-many (1:*) relationships between a parent and its children segments
- Network data model
 - Uses sets to represent 1:* relationships between record types
- Relational model
 - Current database implementation standard
 - ER model is a popular graphical tool for data modeling that complements the relational model

Summary (continued)

- Object is basic modeling structure of object oriented data model
- The relational model has adopted many object-oriented extensions to become the extended relational data model (ERDM)
- Data modeling requirements are a function of different data views (global vs. local) and level of data abstraction